




POELsan®



ÜRÜN KATALOĞU
PRODUCTION CATALOGUE



Poelsan Dünya Firmalarıyla Rekabet Ediyor...

► Poelsan, 1994 yılında henüz ülkemizde üretimi yapılmadığı için ithal edilen Polietilen Kangal Boru Bağlantı Adaptörlerini, kendi tesisinde üreterek piyasaya sunan ilk firma olmuştur.

Poelsan ürünleri, başta peyzaj sektörü olmak üzere, içme suyu şebekelerinde, tarım alanlarında, seralarda, damla sulama sistemlerinde güvenle kullanılabilmektedir.

Poelsan, 67.880 m² alanda yıllık 10.522 ton plastik işleme kapasitesiyle üretim yapmaktadır. Poelsan, yurt içinde tüm illere yayılmış yaklaşık 400 bayi ile çalışmakta ve 75 ülkeye ihracat yapmaktadır.

Poelsan, 2.000'in üzerinde ürün çeşidine sahiptir ve sektördeki yeniliklere bağlı olarak mevcut ürün çeşidini sürekli olarak artırmayı ve sektöründe bir dünya markası olmayı hedeflemektedir.

Poelsan is in the Global Market...

► Poelsan is the first company that produced and marketed the Compression Fittings for PE Roll Pipes at its own plant, as the mentioned products could not be produced in the country and consequently been imported up to the year 1994.

POELSAN products can be used safely in the areas of landscaping, potable water networks, agricultural irrigation, drip irrigation and greenhouses.

Poelsan produces in 67.880 m² area with its annual plastic process of 10.522 tones. Poelsan cooperates with 400 domestic distributors overall provinces in Turkey and also exports to 75 countries.

Poelsan has a wide product range consisting of more than 2.000 items and aims to extend its current product range consistently depending on the developments in the sector and to be a global brand.



Misyonumuz

- ✚ Teknolojiyi kullanarak yüksek kaliteli ve inovatif ürünler sunmak; bu ürünleri global pazar müşterileri ile buluşturmak.

Vizyonumuz

- ✚ Su sistemlerinde Dünya'da tanınan bir marka ve Türkiye sanayisinin öncü şirketlerinden birisi olmak.

Değerlerimiz

- ✚ İnsan ve Çevreye Saygı
- ✚ Liderlik
- ✚ Güvenilirlik
- ✚ Değerli Hissettirmek
- ✚ Gelişime ve Yeniliğe Açık
- ✚ Takım Ruhu

Our Mission

- ✚ To offer high quality and innovative products using technology; to bring these products together with the global market customers.

Our Vision

- ✚ To become a well known world brand in the World in water systems and one of the leading companies in the Turkish industry.

Our Values

- ✚ Respect for Human and Environment
- ✚ Leadership
- ✚ Reliability
- ✚ Making Feel Valuable
- ✚ Open to Development and Innovation
- ✚ Team Spirit



SEKTÖRÜNDE DÜNYA MARKASI

WORLD'S LEADING BRAND IN THE INDUSTRY



75 2.000 Üzerinde Ürün Çeşidi
ÜLKEYE İHRACAT

More than 2.000 products range
exported to 75 countries



POELSAN® 01

ÜRÜN KATALOĞU | PRODUCTION CATALOGUE

A.B.D. + ALMANYA + ARJANTİN + ARNAVUTLUK + AVUSTRALYA + AZERBAYCAN + BELARUS
BREZİLYA + BİRLEŞİK ARAP EMİRLİKLERİ + BOLİVYA + BOSNA HERSEK + BULGARIstan
CEZAYİR + ÇEK CUMHURİYETİ + EKVADOR + ENDONEZYA + ERmenİSTAN + ETİYOPYA
FAS + FRansa + GÜRCİSTAN + HİNDİSTAN + HOLLANDA + İRAK + İNGİLTERE + İRAN
İRLANDA + İSPANYA + İSRAİL + İTALYA + KAMBOÇYA + KARADAĞ + KATAR + KAZAKİSTAN
KIRGİZİSTAN + KOSOVA + KOSTA RİKA + K.K.T.C. + KUVEYT + LİBYA + LİTVANYA + LÜBNAN
MAKEDONYA + MACARİSTAN + MISİR + MOLDOVA + NORVEÇ + ÖZBEKİSTAN + PAKİSTAN + PERU
POLONYA + PORTEKİZ + ROMANYA + RUSYA + SIRBİSTAN + SLOVAKYA + SURİYE
SUUDİ ARABİSTAN + ŞİLİ + TAYLAND + TUNUS + TÜRKMENİSTAN + UKRAYNA + UMMAN
URUGUAY + ÜRDÜN + YEMEN + VENEZUELA + YENİ ZELANDA + YUNANİSTAN
UNITED STATES OF AMERICA + GERMANY + ARGENTINA + ALBANIA + AUSTRALIA
AZERBAIJAN + BELARUS + BRASIL + UNITED ARAB EMIRATES + BOLIVIA
BOSNIA AND HERZEGOVINA + BULGARIA + ALGERIA + CZECH REPUBLIC + ECUADOR
INDONESIA + ARMENIA + ETHIOPIA + MOROCCO + FRANCE + GEORGIA + INDIA
NETHERLANDS + IRAQ + UNITED KINGDOM + IRAN + IRELAND + SPAIN + ISRAEL + ITALY
CAMBODIA + MONTENEGRO + QATAR + KAZAKHSTAN + KYRGYZSTAN + KOSOVO
COSTA RICA + T.R.N.C + KUWAIT + LIBYA + LITHUANIA + LEBANON
HUNGARY + MACEDONIA + EGYPT + MOLDOVA + NORWAY
UZBEKİSTAN + PAKISTAN + PERU + POLAND
PORTUGAL + ROMANIA + RUSSIA + SERBIA
SLOVAKIA + SYRIA + SAUDI ARABIA
CHILE + THAILAND + TUNISIA
TURKMENİSTAN + UKRAINE
OMAN + URUGUAY + JORDAN
VENEZUELA + YEMEN
NEW ZEALAND
GREECE



PRİZ KOLYE GEÇMELİ

CLAMP SADDLES WITH SLIDE

СЕДЛОВЫЕ ВРЕЗКИ С ЗАЖИМОМ

ربط السرجي مع دبوس

Özellikler

- ✚ Darbelere karşı dayanıklı, yüksek kaliteli polipropilen hammaddeden üretilmiştir.
- ✚ Borulardaki ölçü farklılıklarından doğabilecek sızıntıları önleyebilecek şekilde tasarlanmıştır.
- ✚ Oringi kauçuktan üretilmekte olup yüksek basınç altında sızdırmazlık sağlar.
- ✚ Suyun kokusunu ve tadını değiştirebilecek zararlı bileşikler içermez.
- ✚ ISO 13460-1 Standardına uygundur.

KULLANIM ALANLARI

- ✚ Tarımsal Sulama
- ✚ Seralar

GARANTİ VERİLEN BASINÇ DEĞERİ

Ø 25 mm - Ø 110 mm : PN 6

Specifications

- ✚ It has been produced from high quality polypropylene raw material and it has resistance to impact.
- ✚ It is designed to prevent leakage caused by the size differences of the pipes.
- ✚ O-rings are made of rubber and provide leakproofness under high pressure.
- ✚ It does not contain any harmful compounds which can change the taste or the smell of the water.
- ✚ It is compatible with ISO 13460-1 Standard.

INSTALLATION AREAS

- ✚ Agricultural Irrigation
- ✚ Greenhouses

GUARANTEED PRESSURE VALUE

Ø 25 mm - Ø 110 mm : PN 6




TS ISO 13460-1



PRİZ KOLYE GEÇMELİ / CLAMP SADDLES WITH SLIDE

KOD CODE	EBAT / SIZE D x G	AMBALAJ ADEDİ PACKING QUANTITY	KOLİ ADEDİ BOX QUANTITY	ÇUVAL ADEDİ SACK QUANTITY
9311	25 x 1/2"	25	300	375
9321	32 x 1/2"	25	200	225
9322	32 x 3/4"	25	200	225
9331	40 x 1/2"	25	200	225
9332	40 x 3/4"	25	200	225
9341	50 x 1/2"	10	90	110
9342	50 x 3/4"	10	90	110
9343	50 x 1"	10	90	110
9351	63 x 1/2"	10	80	90
9352	63 x 3/4"	10	80	90
9353	63 x 1"	10	80	90
9361	75 x 1/2"	5	60	70
9362	75 x 3/4"	5	60	70
9363	75 x 1"	5	60	65
9371	90 x 1/2"	5	45	55
9372	90 x 3/4"	5	45	55
9373	90 x 1"	5	45	55
9381	110 x 1/2"	5	40	40
9382	110 x 3/4"	5	40	40
9383	110 x 1"	5	40	40




PRİZ KOLYE GEÇMELİ

CLAMP SADDLE WITH SLIDE
СЕДЛОВЫЕ ВРЕЗКИ С ЗАЖИМОМ

ربط السرجي مع دبوس

KOD CODE	EBAT / SIZE D x G	AMBALAJ ADEDİ PACKING QUANTITY	KOLİ ADEDİ BOX QUANTITY	ÇUVAL ADEDİ SACK QUANTITY
9411	25 x 1/2" x 1/2"	25	250	300
9421	32 x 1/2" x 1/2"	25	150	200
9422	32 x 3/4" x 3/4"	25	150	200
9431	40 x 1/2" x 1/2"	25	150	175
9432	40 x 3/4" x 3/4"	25	150	175
9441	50 x 1/2" x 1/2"	10	80	100
9442	50 x 3/4" x 3/4"	10	80	100
9443	50 x 1" x 1"	10	70	80
9451	63 x 1/2" x 1/2"	10	70	80
9452	63 x 3/4" x 3/4"	10	70	70
9453	63 x 1" x 1"	10	60	70
9461	75 x 1/2" x 1/2"	5	60	65
9462	75 x 3/4" x 3/4"	5	50	65
9463	75 x 1" x 1"	5	50	60
9471	90 x 1/2" x 1/2"	5	45	55
9472	90 x 3/4" x 3/4"	5	45	55
9473	90 x 1" x 1"	5	40	45
9481	110 x 1/2" x 1/2"	5	40	40
9482	110 x 3/4" x 3/4"	5	40	40
9483	110 x 1" x 1"	5	40	40



PRİZ KOLYE ÇİFT ÇIKIŞLI GEÇMELİ

DOUBLE ENDED CLAMP SADDLE WITH SLIDE

ДВУХСТОРОННИЕ СЕДЛОВЫЕ

ВРЕЗКИ С ЗАЖИМОМ

ربط السرجي مع دبوس مزدوجة

ربط السرجي مع دبوس/ CLAMP SADDLES WITH SLIDE
СЕДЛОВЫЕ ВРЕЗКИ С ЗАЖИМОМ/ PRİZ KOLYE GEÇMELİ

PRİZ KOLYE GEÇMELİ

CLAMP SADDLE WITH SLIDE

СЕДЛОВЫЕ ВРЕЗКИ С ЗАЖИМОМ

ربط السرجي مع دبوس

DİKKAT EDİLMESİ GEREKEN HUSUSLAR

- ✚ Priz Kolyeler depolama ve montaj esnasında sert ve keskin cisimlerden uzak tutulmalıdır. Tesisat toprak altına döşenecekse, sert ve keskin cisimlerden korumak maksadiyla kum ile kapatılmalıdır. Hasar görmüş ürünler kesinlikle kullanılmamalıdır.
- ✚ Priz kolyelerde oring, yuvasına düzgünce yerleştirilmeli ve montaj esnasında yerinden çıkmamasına özen gösterilmelidir.
- ✚ Priz kolye ile kullanılacak erkek adaptörler teflon bant sızdırmazlığı sağlayacak kadar ve sıkma yönüyle aynı yönde sarılmalıdır.
- ✚ Priz kolyelerin montajından sonra yapılan boru delme işlemi, uygun bir matkap ucu ile dışlere dezmeyecek şekilde gerçekleştirilmelidir.
- ✚ Boruda standart değerinden daha büyük bir ölçü farklılığı var ise (> 0.5 mm) priz kolye montajında alt ve üst kapaklar birbirine dezmeyecektir. Bu durumda priz kolyenin kamalarının sonuna kadar çakılmasına gerek yoktur.
- ✚ Priz kolyelerin montajı sırasında kamalar karşılıklı monte edilmelidir.

POINTS TO TAKE INTO CONSIDERATION

- ✚ Clamp saddles should be kept away from hard and sharp objects during the storage and installation. If the installation is laid under the ground, it should be covered with sand to protect it from hard and sharp objects. Any damaged adaptor should not be used absolutely.
- ✚ The o-ring should be placed in its socket properly in order not to be unsettled during the installation.
- ✚ Male adaptors which are going to be used with clamp saddles should be wrapped tight enough to prevent leakage towards fastening direction with a teflon band.
- ✚ Drilling the pipe after the installation of Clamp Saddles can cause the damage of the threads. Thus, drilling must be carried out in a way that it does not touch the threads with a suitable drill bit.
- ✚ If there is a size difference, larger than the standart dimensions (> 0.5 mm) in the pipe, upper and lower body parts will not contact each other during the clamp saddle installation. In this case, there is no need to drive in the wedges of the clamp saddle up to the end.
- ✚ During the installation of the clamp saddles, wedges or bolts should be installed reciprocatively.



SERTİFİKALARIMIZ / CERTIFICATES



MARKA TESCİL BELGESİ
BRAND REGISTRATION




KALİTE YÖNETİM BELGESİ
QUALITY MANAGEMENT
SYSTEM CERTIFICATE



ÇEVRE YÖNETİM BELGESİ
ENVIRONMENT MANAGEMENT
SYSTEM CERTIFICATE



İŞ SAĞLIĞI GÜVENLİĞİ
OCCUPATIONAL HEALTH &
SAFETY MANAGEMENT SYSTEM
CERTIFICATE



YENİ MAVİ SERİ
AMERİKA PATENTİ
NEW BLUE SERIES
USA DESIGN PATENT



KIWA BELGESİ
KIWA CERTIFICATE



TSE COVID-19
GÜVENLİ ÜRETİM BELGESİ
TSE COVID -19
SAFE PRODUCTION CERTIFICATE



MAVİ SERİ
TASARIM TESCİL BELGESİ
BLUE SERIES - DESIGN
REGISTRATION CERTIFICATE




YENİ MAVİ SERİ
TASARIM TESCİL
NEW BLUE SERIES - DESIGN
REGISTRATION CERTIFICATE



YENİ PRİZ KOLYE
TASARIM TESCİL
NEW CLAMP SADDLE
DESIGN REGISTRATION
CERTIFICATE



YENİ YEŞİL SERİ
TASARIM TESCİL
NEW GREEN SERIES - DESIGN
REGISTRATION CERTIFICATE



ESNEK BORU TUTUCULAR
FAYDALI MODEL BELGESİ
UTILITY MODEL CERTIFICATE
FLEXIBLE O-RING HOLDERS



TS ISO 17885 TÜRK
STANDARTLARINA UYGUNLUK
TSE ISO 17885 Certificate Of
Conformity to TSE



TS ISO 13460-1 TÜRK
STANDARTLARINA UYGUNLUK
TSE ISO 13460-1 Certificate
Of Conformity to TSE



TS ISO 9911 VANALAR TSE
KRİTERLERİNE UYGUNLUK
TS ISO 9911 Valves Certificate
Of Conformity to TSE



TS ISO 9261 TÜRK
STANDARTLARINA UYGUNLUK
TS ISO 9261 Certificate
Of Conformity to TSE



TS 13716 VANA KUTULARI TÜRK
STANDARTLARINA UYGUNLUK
TS 13716 Valve Boxes Certificate
Of Conformity to TSE



SERTİFİKALARIMIZ / CERTIFICATES



AMBALAJ BİLGİLERİMİZ / PACKAGE INFORMATION




Koli Kullanılan Ürün Grupları

Mavi Seri
Yeşil Seri
Priz Kolye Geçmeli
Layflat Ek Parçaları & Çıkış Nipelleri
Dişli Bağlantı Elemanları
Mini Vanalar (DN 8)
Mini Vanalar (DN 15)
Damla Sulama Kurtağızı Ek Parçaları
Yassı Damla Sulama Ek Parçaları
Yüzüklü Yassı Damla Sulama Ek Parçaları
Minisprinkler & Mikrofittingler
Hat Üstü Damlaticılar
Priz Kolye
Manyetik Lokma Ucu (16080, 16083)
Yeşil Seri Küresel Vana
Mavi Seri Küresel Vana
Boru Delme Aparatı (16096, 16098, 16092, 16094)

Product Series in Box

Blue Series
Green Series
Clamp Saddles With Slide
Layflat Fittings & Offtake Nipples
Threaded Fittings
Mini Valves (DN 8)
Mini Valves (DN 15)
Dripline Barbed Fittings
Drip Tape Fittings
Drip Tape Fittings With Ring
Minisprinklers & Microfittings
On-Line Drippers
Clamp Saddles
Magnetic Socket Wrench (16080, 16083)
Green Series Ball Valves
Blue Series Ball Valves
Driller (16096, 16098, 16092, 16094)



Palet Kullanılan Ürün Grupları

Vana Kutuları

Product Series in The Pallet

Valve Boxes



Çuval Kullanılan Ürün Grupları

✚ Küresel Vanalar hariç tüm ürünlerimizde çuval kullanılmaktadır.



POELSAN®

08

ÜRÜN KATALOĞU

PRODUCTION CATALOGUE

NOTLAR / NOTES



01/2021

Şabanoğlu OSB Mahallesi Ulubatlı Caddesi No: 6 Tekkeköy SAMSUN TÜRKİYE
Tel: +90 362 266 75 24 Faks: +90 362 266 77 51 GSM: +90 544 366 69 64

www.poelsan.com poelsan poelsanplastik poelsan@poelsan.com