




POELSAN®



POELSAN®

ÜRÜN KATALOĞU
PRODUCTION CATALOGUE



Dünyanın Suyuna Yön Veriyoruz.

✚ Poelsan olarak çözüm odaklı ve yenilikçi bir anlayış ile peyzaj sektörü başta olmak üzere, içme suyu şebekelerinde, tarım alanlarında, seralarda, spor tesislerinde, damla sulama ve otomatik sulama sistemleri özelinde dünya standartlarında ürünler geliştiriyoruz.

2.000'in üzerinde ürün çeşidi ve geleceğe dost ürünler ile ses getiren projelere imzamızı atıyor, sahip olduğumuz uluslararası tecrübe, geniş hizmet, nitelikli insan kaynağı, bilgi ağı ve değer yaratan çalışmalarla 80'in üzerinde ülkeye ihracat gerçekleştiriyoruz.

30 yıllık başarı hikayemizde bugüne kadar değişmeyen önceliğimiz, tasarımdan başlayarak üretimin her aşamasında çevre dostu uygulamaları sürdürülebilir kılmaktır. Faaliyet gösterdiğimiz her sektörde bugünün değil geleceğin ürünlerine odaklanıyor, kalite ve güveni ilke edindiğimiz bir kültürle çalışıyoruz.

Dünya standartlarında son teknoloji ile geliştirdiğimiz yenilikçi ürünler ile verimliliğin artırılmasını hedefliyor, sektörün beklentilerine yönelik çözümler sağlıyoruz.

We Direct the World's Water

✚ As Poelsan, we develop world-class products for drip irrigation and automatic irrigation systems, especially in the landscaping sector, water supply network, agricultural fields, greenhouses, sports facilities, with a solution-oriented and innovative approach.

With over 2,000 products range and future-friendly products, we are putting our signature to projects that make an impression, and we export to more than 80 countries with our international experience, broad service, qualified human resources, information network and value-creating works.

Our stationary priority in our 30-year success story is to make environmentally friendly practices sustainable at every stage of production, starting from design. In every sector in which we operate, we focus on the products of the future, not today, and work with a culture in which we adopt quality and trust as a principle.

We aim to increase productivity with innovative products that we have developed with the latest technology at world standards, and we provide solutions for the expectations of the sector.



Misyonumuz

- ✚ Teknolojiyi kullanarak yüksek kaliteli ve inovatif ürünler sunmak; bu ürünleri global pazar müşterileri ile buluşturmak.

Our Mission

- ✚ To offer high quality and innovative products using technology; to bring these products together with the global market customers.

Vizyonumuz

- ✚ Su sistemlerinde Dünya'da tanınan bir marka ve Türkiye sanayisinin öncü şirketlerinden birisi olmak.

Our Vision

- ✚ To become a well known world brand in the World in water systems and one of the leading companies in the Turkish industry.

Değerlerimiz

- ✚ İnsan ve Çevreye Saygı
- ✚ Liderlik
- ✚ Güvenilirlik
- ✚ Değerli Hissettirmek
- ✚ Gelişime ve Yeniliğe Açık
- ✚ Takım Ruhu


Our Values

- ✚ Respect for Human and Environment
- ✚ Leadership
- ✚ Reliability
- ✚ Making Feel Valuable
- ✚ Open to Development and Innovation
- ✚ Team Spirit



DÜNYANIN SUYUNA YÖN VERİYORUZ

WE DIRECT THE WORLD'S WATER



POELSAN®

01

ÜRÜN KATALOĞU | PRODUCT CATALOGUE



80+

3.000 Üzerinde **Ürün Çeşidi**
ÜLKEYE İHRACAT

Over 3.000 range of products
Exports to 80+ countries



PRİZ KOLYE GEÇMELİ CLAMP SADDLES WITH SLIDE

Özellikler

- + Darbelere karşı dayanıklı, yüksek kaliteli polipropilen hammadden üretilmiştir.
- + Borulardaki ölçü farklılıklarından doğabilecek sızıntıları önleyebilecek şekilde tasarlanmıştır.
- + Oringi kauçuktan üretilmekte olup yüksek basınç altında sızdırmazlık sağlar.
- + Suyun kokusunu ve tadını değiştirebilecek zararlı bileşimler içermez.
- + ISO 13460-1 Standardına uygundur.

KULLANIM ALANLARI

- + Tarımsal Sulama
- + Seralar

GARANTİ VERİLEN BASINÇ DEĞERİ

Ø 25 mm – Ø 110 mm : PN 6

Specifications

- + It has been produced from high quality polypropylene raw material and it has resistance to impact.
- + It is designed to prevent leakage caused by the size differences of the pipes.
- + O-rings are made of rubber and provide leakproofness under high pressure.
- + It does not contain any harmful compounds which can change the taste or the smell of the water.
- + It is compatible with ISO 13460-1 Standard.

INSTALLATION AREAS

- + Agricultural Irrigation
- + Greenhouses

GUARANTEED PRESSURE VALUE

Ø 25 mm – Ø 110 mm : PN 6




TS ISO 13460-1




PRİZ KOLYE GEÇMELİ / CLAMP SADDLES WITH SLIDE

KOD CODE	EBAT / SIZE D x G	BASINÇ DEĞERİ PRESSURE VALUE PN	AMBALAJ ADEDİ PACKING QUANTITY	KOLİ ADEDİ BOX QUANTITY
9311	25 x 1/2"	6	25	300
9321	32 x 1/2"	6	25	250
9322	32 x 3/4"	6	25	250
9331	40 x 1/2"	6	25	200
9332	40 x 3/4"	6	25	200
9341	50 x 1/2"	6	10	90
9342	50 x 3/4"	6	10	100
9343	50 x 1"	6	10	100
9351	63 x 1/2"	6	10	90
9352	63 x 3/4"	6	10	80
9353	63 x 1"	6	10	80
9361	75 x 1/2"	6	5	65
9362	75 x 3/4"	6	5	60
9363	75 x 1"	6	5	70
9371	90 x 1/2"	6	5	60
9372	90 x 3/4"	6	5	45
9373	90 x 1"	6	5	60
9381	110 x 1/2"	6	5	50
9382	110 x 3/4"	6	5	50
9383	110 x 1"	6	5	45



PRİZ KOLYE GEÇMELİ
CLAMP SADDLE WITH SLIDE

KOD CODE	EBAT / SIZE D x G	BASINÇ DEĞERİ PRESSURE VALUE PN	AMBALAJ ADEDİ PACKING QUANTITY	KOLİ ADEDİ BOX QUANTITY
9411	25 x 1/2" x 1/2"	6	25	250
9421	32 x 1/2" x 1/2"	6	25	200
9422	32 x 3/4" x 3/4"	6	25	225
9431	40 x 1/2" x 1/2"	6	25	150
9432	40 x 3/4" x 3/4"	6	25	150
9441	50 x 1/2" x 1/2"	6	10	80
9442	50 x 3/4" x 3/4"	6	10	110
9443	50 x 1" x 1"	6	10	70
9451	63 x 1/2" x 1/2"	6	10	80
9452	63 x 3/4" x 3/4"	6	10	90
9453	63 x 1" x 1"	6	10	70
9461	75 x 1/2" x 1/2"	6	5	60
9462	75 x 3/4" x 3/4"	6	5	50
9463	75 x 1" x 1"	6	5	55
9471	90 x 1/2" x 1/2"	6	5	45
9472	90 x 3/4" x 3/4"	6	5	45
9473	90 x 1" x 1"	6	5	40
9481	110 x 1/2" x 1/2"	6	5	40
9482	110 x 3/4" x 3/4"	6	5	40
9483	110 x 1" x 1"	6	5	40



**PRİZ KOLYE
ÇİFT ÇIKIŞLI GEÇMELİ**
DOUBLE ENDED CLAMP SADDLE WITH SLIDE

PRİZ KOLYE GEÇMELİ

CLAMP SADDLE WITH SLIDE

DİKKAT EDİLMESİ GEREKEN HUSUSLAR

- + Priz Kolyeler depolama ve montaj esnasında sert ve keskin cisimlerden uzak tutulmalıdır. Tesisat toprak altına döşenecekse, sert ve keskin cisimlerden korumak maksadıyla kum ile kapatılmalıdır. Hasar görmüş ürünler kesinlikle kullanılmamalıdır.
- + Priz kolyelerde oring, yuvasına düzgünce yerleştirilmeli ve montaj esnasında yerinden çıkmamasına özen gösterilmelidir.
- + Priz kolye ile kullanılacak erkek adaptörlere teflon bant sızdırmazlığı sağlayacak kadar ve sıkma yönüyle aynı yönde sarılmalıdır.
- + Priz kolyelerin montajından sonra yapılan boru delme işlemi, uygun bir matkap ucu ile dişlere değmeyecek şekilde gerçekleştirilmelidir.
- + Boruda standart değerinden daha büyük bir ölçü farklılığı var ise (> 0.5 mm) priz kolye montajında alt ve üst kapaklar birbirine değmeyecektir. Bu durumda priz kolyenin kamalarının sonuna kadar çakılmasına gerek yoktur.
- + Priz kolyelerin montajı sırasında kamalar karşılıklı monte edilmelidir.

POINTS TO TAKE INTO CONSIDERATION

- + Clamp saddles should be kept away from hard and sharp objects during the storage and installation. If the installation is laid under the ground, it should be covered with sand to protect it from hard and sharp objects. Any damaged adaptor should not be used absolutely.
- + The o-ring should be placed in its socket properly in order not to be unsettled during the installation.
- + Male adaptors which are going to be used with clamp saddles should be wrapped tight enough to prevent leakage towards fastening direction with a teflon band.
- + Drilling the pipe after the installation of Clamp Saddles can cause the damage of the threads. Thus, drilling must be carried out in a way that it does not touch the threads with a suitable drill bit.
- + If there is a size difference, larger than the standart dimensions (> 0.5 mm) in the pipe, upper and lower body parts will not contact each other during the clamp saddle installation. In this case, there is no need to drive in the wedges of the clamp saddle up to the end.
- + During the installation of the clamp saddles, wedges or bolts should be installed reciprocally.

SERTİFİKALARIMIZ / CERTIFICATES



MARKA TESCİL BELGESİ
BRAND REGISTRATION



KALİTE YÖNETİM BELGESİ
QUALITY MANAGEMENT
SYSTEM CERTIFICATE



ÇEVRE YÖNETİM BELGESİ
ENVIRONMENT MANAGEMENT
SYSTEM CERTIFICATE



İŞ SAĞLIĞI GÜVENLİĞİ
OCCUPATIONAL HEALTH &
SAFETY MANAGEMENT SYSTEM
CERTIFICATE



**YENİ MAVİ SERİ
AMERİKA PATENTİ**
NEW BLUE SERIES
USA DESIGN PATENT



KIWA BELGESİ
KIWA CERTIFICATE



**MAVİ SERİ
TASARIM TESCİL BELGESİ**
BLUE SERIES - DESIGN
REGISTRATION CERTIFICATE




**YENİ MAVİ SERİ
TASARIM TESCİL**
NEW BLUE SERIES - DESIGN
REGISTRATION CERTIFICATE



**YENİ PRİZ KOLYE
TASARIM TESCİL**
NEW CLAMP SADDLE
DESIGN REGISTRATION
CERTIFICATE



**YENİ YEŞİL SERİ
TASARIM TESCİL**
NEW GREEN SERIES - DESIGN
REGISTRATION CERTIFICATE



**ESNEK BORU TUTUCULAR
FAYDALI MODEL BELGESİ**
UTILITY MODEL CERTIFICATE
FLEXIBLE O-RING HOLDERS



**TS ISO 17885 TÜRK
STANDARTLARINA UYGUNLUK**
TSE ISO 17885 Certificate Of
Conformity to TSE



**TS ISO 13460-1 TÜRK
STANDARTLARINA UYGUNLUK**
TSE ISO 13460-1 Certificate
Of Conformity to TSE




**TS ISO 24649 VANALAR TSE
KRİTERLERİNE UYGUNLUK**
TSE ISO 24649 Valves Certificate
Of Conformity to TSE



**TS ISO 9261 TÜRK
STANDARTLARINA UYGUNLUK**
TSE ISO 9261 Certificate
Of Conformity to TSE



**TS 13716 VANA KUTULARI TÜRK
STANDARTLARINA UYGUNLUK**
TSE 13716 Valve Boxes Certificate
Of Conformity to TSE



AMBALAJ BİLGİLERİMİZ / PACKAGE INFORMATION




Koli Kullanılan Ürün Grupları

Mavi Seri
Mavi Seri Flanşlı Adaptör
Yeşil Seri
Can Suyu Vana
Plastik Filtre
Priz Kolye Geçmeli
Layflat Ek Parçaları & Çıkış Nipelleri
Dişli Bağlantı Elemanları
Mini Vanalar (DN 8)
Mini Vanalar (DN 15)
Hat Sonu Tahliye Vanası
Damla Sulama Kurtağı Ek Parçaları
Yassı Damla Sulama Ek Parçaları
Yüüklü Yassı Damla Sulama Ek Parçaları
Minisprinkler & Mikrofittingler
Hat Üstü Damlaticılar
Priz Kolye
Manyetik Lokma Ucu
(16080, 16083)
Yeşil Seri Küresel Vana
Mavi Seri Küresel Vana
Boru Delme Aparatı
(16096, 16098, 16092, 16094)

Product Series in Box

Blue Series
Blue Series Flanged Adaptor
Green Series
Quick Coupling Valve
Plastic Filter
Clamp Saddles With Slide
Layflat Fittings & Offtake Nipples
Threaded Fittings
Mini Valves (DN 8)
Mini Valves (DN 15)
End Line Drain Valve
Dripline Barbed Fittings
Drip Tape Fittings
Drip Tape Fittings With Ring
Minisprinklers & Microfittings
On-Line Drippers
Clamp Saddles
Magnetic Socket Wrench
(16080, 16083)
Green Series Ball Valves
Blue Series Ball Valves
Driller
(16096, 16098, 16092, 16094)



Palet Kullanılan Ürün Grupları

Vana Kutuları

Product Series in The Pallet

Valve Boxes



01/2024

 Merkez | Headquarters

 Samsun Şube | Branch

 İstanbul Şube | Branch

Şabanoğlu OSB Mah. Ulubatlı Cad. No: 6, Tekkeköy SAMSUN TÜRKİYE

Tel: +90 362 266 75 24

Faks: +90 362 266 77 51

poelsan@poelsan.com

Tel: +90 362 266 75 27

GSM: +90 544 366 69 64

www.poelsan.com

  | poelsanplastik

   | poelsan